

FIG. 1D




FIG. 1E




FIG. 1F

3/27




FIG. 1I




FIG. 1H




FIG. 1G

4/27




FIG. 1K





FIG. 1J


3D HACA(CO)NHN



6/27

FIG. 2B


3D HC(C-TOCSY-CO)NHN



7/27


FIG. 2C

3D HNNCAHA



8/27

FIG. 2D



9/27

FIG. 2E

$3D \overline{H^{\alpha/\beta}} \overline{C^{\alpha/\beta}} \overline{NHN}$






FIG. 2F



11/27

FIG. 2G

3D HCCH-COSY



12/27

FIG. 2H






FIG. 2I

2D HBCB(CGCD)HD



14/27

FIG. 2J



15/27

FIG. 2K





FIG. 3



17/27


3D HACA(CO)NHN

FIG. 4A




3D H ^{α/β} C ^{α/β} (CO)NHN

FIG. 4B



3D HC(C-TOCSY-CO)NHN

FIG. 4C




18/27

$^{13}\text{C}\alpha$


3D HACA(CO)NHN

FIG. 4D




3D H $^{\alpha/\beta}$ C $^{\alpha/\beta}$ (CO)NHN

FIG. 4E



3D HC(C-TOCSY-CO)NHN

FIG. 4F



19/27

1.5

Inter

Intra

Ali

Aro



Relative Sensitivity





FIG. 5

20/27


(A) 3D HNNCAHA

FIG. 6A




(B) 3D $\underline{\text{H}}^{\alpha/\beta}\underline{\text{C}}^{\alpha/\beta}\text{COHA}$

FIG. 6B




(C) 3D $\underline{\text{H}}^{\alpha/\beta}\underline{\text{C}}^{\alpha/\beta}\text{NHN}$


FIG. 6C




21/27 $\omega_2(^{13}\text{C}=\text{O}) / \omega_3(^1\text{H}^\alpha)$
of residue *i*




$\delta(^{13}\text{C}=\text{O})$
 $\omega_2(^{15}\text{N}) / \omega_3(^1\text{H}^N)$
of residue *i* + 1




$\omega_2(^{13}\text{C}^\beta)$
of residue *i*



$\delta(^1\text{H}^\delta)$
 $\omega_2(^{13}\text{C}^\delta)$
of residue *i*




$\omega_2(^{15}\text{N}) / \omega_3(^1\text{H}^N)$
of residue *i*



$\delta(^{13}\text{C}^\alpha)$ $\delta(^{13}\text{C}^\alpha/^1\text{H}^\alpha)$

$\delta(^{13}\text{C}^{\alpha/\beta}/^1\text{H}^{\alpha/\beta})$ $\omega_2(^{15}\text{N}) / \omega_3(^1\text{H}^N)$
of residue *i* + 1



$\delta(^{13}\text{C}^\beta/^1\text{H}^\beta)$

$\delta(^{13}\text{C}^{\alpha/\beta}/^1\text{H}^{\alpha/\beta})$

$\omega_2(^{13}\text{C}^\alpha) / \omega_3(^1\text{H}^\alpha)$
of residue *i*




FIG. 7



22/27




FIG. 8

23/27 a: 3D $\underline{H}^{\alpha/\beta} \underline{C}^{\alpha/\beta} \text{COHA}$ b: 3D $\underline{H}^{\alpha/\beta} \underline{C}^{\alpha/\beta} (\text{CO})\text{NHN}$




FIG. 9A



24/27




FIG. 9B

25/27




FIG. 10C




FIG. 10B





FIG. 10A

26/27

3D HCCH-COSY(Lys 4) γ




3D HCCH-TOCSY γ




80 70 60 50 40 30 20 10 0
 $\omega_1(^{13}\text{C})$ [ppm]

FIG. 11C

COSY β




TOCSY β




80 70 60 50 40 30 20 10 0
 $\omega_1(^{13}\text{C})$ [ppm]

FIG. 11B

COSY α




TOCSY α



80 70 60 50 40 30 20 10 0
 $\omega_1(^{13}\text{C})$ [ppm]

FIG. 11A





2D ^1H -TOCSY-relayed HCH-COSY




FIG. 12C

2D HBCB(CGCD)HD




FIG. 12B

3D H $^{\alpha/\beta}$ C $^{\alpha/\beta}$ (CO)NHN

His(-4) Phe5 Phe13 Tyr14 His18 Phe30




FIG. 12A